



Api 5l A106 Gr B Api 5l Psl1 Carbon Steel Pipe For Oil Drilling Astm A335 P91 Pipe

Our Product Introduction

for more products please visit us on seamless-steeltube.com

Basic Information



Product Specification

- Product Name: Oil Drilling Pipe
- Application: Structure Pipe, Fluid Pipe, Gas Pipe, Oil Pipe
- Material: J55, K55, N80, L80, P110
- Length: 3m-12.3m
- Outer Diameter: 18"-56"
- Wall Thickness: 0.312"-2"
- Section Shape: Round, Square, Or Other Special Shape
- Standard: API 5CT
- Technique: Hot Rolled, Cold Rolled, Cold Drawn
- Tolerance: $\pm 1\%$
- Highlight: **api 5l a106 gr b, api 5l carbon steel, api 5l b psl1**



Product Description

Customized Size Petroleum Steel Pipe For Oil Drilling

Shandong Fengbao Metal Products Co., Ltd. is among the famous organizations, highly betrothed in providing a finest quality assortment of Petroleum Pipes to our respected customers. These pipes are manufactured and developed in tandem with industry set norms by making use of optimum grade raw material and high end tools in conformity with industry set norms at our suppliers' premises. Moreover, these pipes are available at economical prices.

Specification

Product Name	Petroleum Steel Pipe
Standard	API 5L PSL1 / PSL2, API 5CT, API 2B, ASTM A53, A252, A671 CL13, A672 CL13, DIN 2458, IS 3589, EN10217-(1,2,5), EN10219-1, EN10224, SY/T 5037, JIS G3444, GB/T3091, GB/T 9711.1, GB/T 9711.2, BS
Grade	API 5L: GR A, GR B, L235-L355, X42, X46, X56, X60, X65, X70 API 2B: 2H,2W ASTM: A252 GR 2, GR 3 BS 4360: Grade 37, Grade 43, Grade 50 EN: S275JR, S275J0H, S275J2H, S355JRH, S355J0H, S355J2H, P195-P460 JIS: STK400, STK500, SS400
Outer Diameter (OD)	457.2mm--1422.2mm (18"--56") or customized
Wall Thickness (WT)	7.92mm--50.8mm (0.312"-2") or customized
Length	3m--12.3m or customized
Technology	Longitudinally Submerged Arc Welding
Test	Chemical Component Analysis, Mechanical Properties (Tensile Strength, Yield strength, Elongation), Metallographic Test, Technical Properties (Bending Test, Charp-v Impact Test, Hydrostatic Test, X-ray Test, hydrostatic Test)
Surface Treatment	Fusion bond Epoxy coating, Coal Tar Epoxy, 3PE, Vanish Coating, Bitumen Coating, Black Oil coating as per customer's requirement
Application	Low pressure liquid transportation for Oil, gas, water, piling, and Oil drilling

Why Choose us?

- (1) High quality steel tube with reasonable price.
- (2) Wide excellent experiences with after-sale service.
- (3) Every process will be checked by responsible QC which insures every product's quality.
- (4) Professional packing teams which keep every packing safely.
- (5) Trial order can be done in one week.
- (6) Samples can be provided as your requirements.

FAQ

Q1. Are you a manufacturer or trader?

We are a manufacturer, and we can have our own factory produced many steel products.

Q2. Whether your company supports Trade Assurance order?

Yes, we can (100% product quality protection; 100% on-time shipment protection; 100% payment protection)

Q3. Can we get the some samples? Any charges?

Yes, you can get available samples in our stock. If the samples from new production, we will charge some reasonable cost, but this amount will be deducted from your first order.

Q4. How do we build up business relations with your company?

Send us your requirement which includes size, coating info, parameters, quantity, destination .

Q5. What is the MOQ?

We can accept small orders.Please feel free to contact us, we can meet your requirements.

Q6. What's your advantage?

With high-quality products and efficient customer service, we adhere to the principle of customer first.

Q7. How long is your delivery time?

Delivered within 15 days after receipt of deposit



Shandong Fengbao Metal Products Co., Ltd



13003369243



Lydia@fengbaosteels.com



seamless-steel tube.com

