



# Hot Rolled Seamless Pipe 20mm 4 Inch 5 Inch 6 Inch 7 Inch Exhaust Fluid Pipe Astm A106b

## **Basic Information**

- Place of Origin:
- Certification:
- : CE ISO ber: Steel Pipe/Tube
- Model Number:Minimum Order Quantity:
- Minimum Order Quantity: Negotiable
  Price: Negotiable
- Packaging Details:
- Delivery Time:
- Supply Ability:
- Negotiable Standard Sea-worthy Packing
- 7-15 work days

China

5000 Ton/Tons per Month



## **Product Specification**

- Name:
- Section Shape:
- Package:
- Pipe Type:
- Size:
- Standard:
- Grade:
- . .
- Technique:
- Standard Export Package Fluid Customized

Fluid Steel Pipe

- ASTM, DIN, JIS, GB, EN, API, BS
- Carbon Steel

Round

- Hot Rolled, Cold Rolled, Cold Drawn
- Highlight:
- exhaust fluid pipe, seamless hot rolled steel tubes, seamless pipe 20mm



#### Hot Rolled Fluid 4 Inch/5 Inch/6 Inch/7 Inch Steel Pipe Carbon Seamless Steel Pipe

Compared with solid steel such as round steel, fluid steel pipe is lighter in weight when the bending and torsional strength is the same. It is an economical cross-section steel and is widely used in manufacturing structural parts and mechanical parts, such as oil drill pipes, automobile transmission shafts, etc. Bicycle racks and steel scaffolding used in construction, etc.

#### Specification

| Standard                                | ASTM                        |
|---|-----------------------------|
| Out diameter                            | 21.3 - 610 mm or customized |
| Wall thickness                          | 2 - 50 mm or customized     |
| Section Shape                           | Round                       |
| Application                             | Fluid Pipe                  |
| Surface Treatment                       | varnished, cap, marking     |
| Certification                           | API                         |
| Usage                                   | Oil Gas Water Well          |
| ST37/ST44 Precision Seamless Steel Pipe | DIN 2448/2391/1629/17100    |
| DIN 2391/2448/1629,ST37/ST52 steel pipe | ST37/ST52                   |
| Hot Rolled Seamless Steel Pipe          | ASTM A 53/106/API 5L B      |
| Cold Drawn Seamless Steel Boiler Tube   | ASTM A106/DIN 17175/2448    |
| Technology                              | Hot Rolled Cold Rolled      |

Dimension Tolerances of Seamless Steel Pipe

| Pipe types | Pipe Size(mm) |       | Tolerances     |
|------------|---------------|-------|----------------|
| Hot rolled | OD            | <50   | ±0.50mm        |
|            |               | ≥50   | ±1%            |
|            | wт            | <4    | ±12.5%         |
|            |               | ≥4 20 | +15%, -12.5%   |
|            |               | >20   | ±12.5%         |
| Cold drawn | OD            | 6 10  | ±0.20mm        |
|            |               | 10 30 | ±0.40mm        |
|            |               | 30 50 | ±0.45          |
|            |               | >50   | ±1%            |
|            | WT            | <1    | ±0.15mm        |
|            |               | >1 3  | + 15%, - 10%   |
|            |               | >3    | + 12.5%, - 10% |





### FAQ

Q1. Are you a manufacturer or trader? We are a manufacturer, and we can have our own factory produced many steel products.

Q2. Whether your company supports Trade Assurance order? Yes, we can (100% product quality protection; 100% on-time shipment protection; 100% payment protection)

Q3. Can we get the some samples? Any charges?

Yes, you can get available samples in our stock. If the samples from new production, we will charge some reasonable cost, but this amount will be deducted from your first order.

Q4. How do we build up business relations with your company? Send us your requirement which includes size, coating info, parameters, quantity, destination .

Q5. What is the MOQ?

We can accept small orders.Please feel free to contact us, we can meet your requirements.

Q6. What's your advantage? With high-quality products and efficient customer service, we adhere to the principle of customer first.

Q7. How long is your delivery time? Delivered within 15 days after receipt of deposit

