



# ASTM A53 A106 Carbon Steel Seamless Pipe API 5L Line Tubes Round Hot Rolled

### **Basic Information**

• Place of Origin: China

Model Number: Seamless PipeMinimum Order Quantity: NegotiablePrice: Negotiable

Packaging Details: Standard Sea-worthy Packing

Delivery Time: 7-15 work daysPayment Terms: T/T, L/C

• Supply Ability: 5000 Ton/Tons per Month



# **Product Specification**

Product Name: Carbon Steel Petroleum Pipe

Technique: Hot Rolled
Material: Carbon Steel
Outer Diameter: 0.98"-31.4"
Wall Thickness: 0.11"-0.78"
Length: 19.6"-511.8"
Standard: API 5CT

Section Shape: Round, Square, Or Other Special Shape

• Highlight: Carbon Steel Seamless Pipe,

ASTM A53 Carbon Steel Seamless Pipe, Round Hot Rolled Seamless Steel Pipe



## **Product Description**

### ASTM A53 A106 API 5L Pipe Line Tubes Gr B Carbon Steel Seamless Steel Round Hot Rolled

Hot-rolled seamless pipes are generally produced on automatic pipe rolling units. This is an efficient and continuous production method that can quickly roll tube blanks into seamless steel pipes of certain specifications. The tube blanks of hot-rolled seamless pipes usually use steel ingots or continuous casting billets as raw materials.

### Specification

Japan: JIS G3452/G3454/G3456/G3457/G3458/G3460/3461/3462/3464 German: DIN 1626/17175/1629-4/2448/2391/17200 SEW680 : GOST 8732/8731/3183 China: 10#, 20#, 16Mn, 20G, 15MoG, 15CrMo, 30CrMo, 42Crmo, 27SiMn, 20CrMo U.S.A.: Gr. B/Gr.A/A179/A192/A-1/T11/T12/T22/P1/FP1/T5/4140/4130 Japan: STPG38,STB30,STS38,STB33,STB42,STS49,STBA23,STPA25,STPA23 German: ST33,ST37,ST35,ST35.8,ST45,ST52,15Mo3,13CrMo44, 1.0309, 1.0305, 1.0405 : 10, 20, 35, 45, 20X Technique hot rolled Outer diameter can be manufactured as cutomer require Wall sinckness and be manufactured as cutomer require Wall thickness can be manufactured as cutomer require Wall thickness can be manufactured as cutomer require Under solution of the service of	Name	Carbon Steel Petroleum Pipe
Standard  Standa	Туре	hot rolled seamless carbon steel pipe
Standard    A135/A214/315/A500/A501/A519/A161/A334; API 5L/5CT   Japan: JIS G3452/G3454/G3456/G3457/G3458/G3460/3461/3462/3464   German: DIN 1626/17175/1629-4/2448/2391/1720 SEW680   GOST 8732/8731/3183	Standard	China: GB/T8162/T8163 GB5310/6579/9948
Japan: JIS G3452/G3454/G3456/G3457/G3458/G3460/3461/3462/3464 German: DIN 1626/17175/1629-4/2448/2391/17200 SEW680 : GOST 8732/8731/3183 China: 10#, 20#, 16Mn, 20G, 15MoG, 15CrMo, 30CrMo, 42Crmo, 27SiMn, 20CrMo U.S.A.: Gr. B/Gr.A/179/A192/A-1/T11/T12/T22/P1/FP1/T5/4140/4130  Japan: STPG38,STB30,STS38,STB33,STB42,STS49,STBA23,STPA25,STPA23 German: ST33,ST37,ST35,ST35.8,ST45,ST52,15Mo3,13CrMo44, 1.0309, 1.0305, 1.0405 : 10, 20, 35, 45, 20X  Technique Outer Jemm-800mm (0.98"-31.4") diameter Wall diameter can be manufactured as cutomer require Wall shickness can be manufactured as cutomer require Uction Wall thickness can be manufactured as cutomer require Length S00mm-13000mm (19.6"-511.8" or random length) Shape round, square, rectangular Pipe ends Surface treatment Certificate CE, ISO, API Supply ability Delivery time  stock size 10 days, customize size 15-25 days, large quantity please contact with our sales perso option one: plastic caps covered on both ends of pipes; option two: woven bag wrapped outside the pipes; option two: woven bag wrapped outside the pipes; option three: tied in bundle  Application Application Moq  please chat with us about your order		U.S.A.: ASTM A53/A106/A178/A179/A192/A210/A213/A333/A335/A283
Japan: JIS G3452/G3454/G3456/G3457/G3458/G3460/3461/3462/3464 German: DIN 1626/17175/1629-4/2448/2391/17200 SEW680 : GOST 8732/8731/3183  China: 10#, 20#, 16Mn, 20G, 15MoG, 15CrMo, 30CrMo, 42Crmo, 27SiMn, 20CrMo U.S.A.: Gr. B/Gr.A/A179/A192/A-1/T11/T12/T22/P1/FP1/T5/4140/4130  Japan: STPG38,STB30,STS38,STB33,STB42,STS49,STBA23,STPA25,STPA23 German: ST33,ST37,ST35,ST35.8,ST45,ST52,15Mo3,13CrMo44, 1.0309, 1.0305, 1.0405 : 10, 20, 35, 45, 20X  Technique hot rolled  Outer diameter can be manufactured as cutomer require  Wall sinckness and be manufactured as cutomer require  Wall thickness can be manufactured as cutomer require  Length 500mm-13000mm (19.6"-511.8" or random length)  Shape round, square, rectangular  Pipe ends plain ends, beveled ends etc  Surface treatment shot blasting/galvanized/painted as customer needs  Certificate CE, ISO, API  Supply ability  Delivery time stock size 10 days, customize size 15-25 days, large quantity please contact with our sales perso option one: plastic caps covered on both ends of pipes; option three: tied in bundle  Application one: plastic caps covered on both ends of pipes; option three: tied in bundle  Application accept the third party to check the goods quantity and quality  Delase chat with us about your order		/A135/A214/315/A500/A501/A519/A161/A334; API 5L/5CT
China: 10#, 20#, 16Mn, 20G, 15MoG, 15CrMo, 30CrMo, 42Crmo, 27SiMn, 20CrMo U.S.A.: Gr. B/Gr.A/A179/A192/A-1/T11/T12/T22/P1/FP1/T5/4140/4130 Japan: STPG38,STB30,STS38,STB33,STB42,STS49,STBA23,STPA25,STPA23 German: ST33,ST37,ST35,ST35.8,ST45,ST52,15Mo3,13CrMo44, 1.0309, 1.0305, 1.0405 : 10, 20, 35, 45, 20X Technique hot rolled Outer diameter diameter can be manufactured as cutomer require  3mm-20mm (0.11"-0.78") wall thickness can be manufactured as cutomer require  Length 500mm-13000mm (19.6"-511.8" or random length) Shape plain ends, beveled ends etc Surface treatment Certificate CE, ISO, API Supply ability Delivery time stock size 10 days, customize size 15-25 days, large quantity please contact with our sales persot option one: plastic caps covered on both ends of pipes; option three: tied in bundle  Application oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc Inspection accept the third party to check the goods quantity and quality Moq please chat with us about your order		Japan: JIS G3452/G3454/G3456/G3457/G3458/G3460/3461/3462/3464
China: 10#, 20#, 16Mn, 20G, 15MoG, 15CrMo, 30CrMo, 42Crmo, 27SiMn, 20CrMo U.S.A.: Gr. B/Gr.A/A179/A192/A-1/T11/T12/T22/P1/FP1/T5/4140/4130 Japan: STPG38,STB30,STS38,STB33,STB42,STS49,STBA23,STPA25,STPA23 German: ST33,ST37,ST35,ST35.8,ST45,ST52,15Mo3,13CrMo44, 1.0309, 1.0305, 1.0405 : 10, 20, 35, 45, 20X  Technique hot rolled Outer 25mm-800mm (0.98"-31.4") diameter diameter diameter an be manufactured as cutomer require Wall 3mm-20mm (0.11"-0.78") wall thickness can be manufactured as cutomer require Length 500mm-13000mm (19.6"-511.8" or random length) Shape round, square, rectangular Pipe ends plain ends, beveled ends etc Surface treatment Certificate CE, ISO, API Supply ability 5000 ton/month Delivery time stock size 10 days, customize size 15-25 days, large quantity please contact with our sales person option one: plastic caps covered on both ends of pipes; option two: woven bag wrapped outside the pipes; option three: tied in bundle  Application oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc Inspection accept the third party to check the goods quantity and quality Moq please chat with us about your order		German: DIN 1626/17175/1629-4/2448/2391/17200 SEW680
U.S.A.: Gr. B/Gr.A/A179/A192/A-1/T11/T12/T22/P1/FP1/T5/4140/4130  Japan: STPG38,STB30,STS38,STB33,STB42,STS49,STBA23,STPA25,STPA23  German: ST33,ST37,ST35,ST35.8,ST45,ST52,15Mo3,13CrMo44, 1.0309, 1.0305, 1.0405  : 10, 20, 35, 45, 20X  Technique hot rolled  Outer 25mm-800mm (0.98"-31.4")  diameter an be manufactured as cutomer require  Wall 3mm-20mm (0.11"-0.78")  wall thickness can be manufactured as cutomer require  Length 500mm-13000mm (19.6"-511.8" or random length)  Shape round, square, rectangular  Pipe ends plain ends, beveled ends etc  Surface treatment Certificate CE, ISO, API  Supply ability 5000 ton/month  Delivery time stock size 10 days, customize size 15-25 days, large quantity please contact with our sales perso option one: plastic caps covered on both ends of pipes; option two: woven bag wrapped outside the pipes; option three: tied in bundle  Application oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection accept the third party to check the goods quantity and quality  Moq please chat with us about your order		: GOST 8732/8731/3183
Grade  Japan: STPG38,STB30,STS38,STB33,STB42,STS49,STBA23,STPA25,STPA23 German: ST33,ST37,ST35,ST35.8,ST45,ST52,15Mo3,13CrMo44, 1.0309, 1.0305, 1.0405 : 10, 20, 35, 45, 20X  Technique  Outer  diameter  Z5mm-800mm (0.98"-31.4")  diameter can be manufactured as cutomer require  Wall  3mm-20mm (0.11"-0.78")  Wall thickness can be manufactured as cutomer require  Length  500mm-13000mm (19.6"-511.8" or random length)  Shape  round, square, rectangular  Pipe ends  Surface treatment  Certificate  CE, ISO, API  Supply  ability  Delivery time  stock size 10 days, customize size 15-25 days, large quantity please contact with our sales perso option one: plastic caps covered on both ends of pipes; option three: tied in bundle  Application  Application  Application  Moq  please chat with us about your order	Grade	China: 10#, 20#, 16Mn, 20G, 15MoG, 15CrMo, 30CrMo, 42Crmo, 27SiMn, 20CrMo
German: ST33,ST37,ST35,ST35.8,ST45,ST52,15Mo3,13CrMo44, 1.0309, 1.0305, 1.0405 : 10, 20, 35, 45, 20X  Technique   Not rolled   Dote   D		U.S.A.: Gr. B/Gr.A/A179/A192/A-1/T11/T12/T22/P1/FP1/T5/4140/4130
in 10, 20, 35, 45, 20X  Technique hot rolled  Outer diameter diameter can be manufactured as cutomer require  Wall smm-20mm (0.11"-0.78")  Wall thickness wall thickness can be manufactured as cutomer require  Length 500mm-13000mm (19.6"-511.8" or random length)  Shape round, square, rectangular  Pipe ends plain ends, beveled ends etc  Surface treatment  Certificate Supply ability  Delivery time stock size 10 days, customize size 15-25 days, large quantity please contact with our sales person option one: plastic caps covered on both ends of pipes; option three: tied in bundle  Application plastic caps covered on construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection accept the third party to check the goods quantity repeats and the proper incomplete the plant of the plant of the plant of the proper incomplete the plant of the		
Technique hot rolled  Outer diameter		
Outer diameter 25mm-800mm (0.98"-31.4") diameter can be manufactured as cutomer require  Wall 3mm-20mm (0.11"-0.78") wall thickness can be manufactured as cutomer require  Length 500mm-13000mm (19.6"-511.8" or random length) Shape round, square, rectangular Pipe ends plain ends, beveled ends etc  Surface treatment Certificate CE, ISO, API Supply ability 5000 ton/month Delivery time stock size 10 days, customize size 15-25 days, large quantity please contact with our sales perso option one: plastic caps covered on both ends of pipes; option two: woven bag wrapped outside the pipes; option three: tied in bundle  Application oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc Inspection accept the third party to check the goods quantity and quality Welson to the content of the purpose o		: 10, 20, 35, 45, 20X
diameter diameter can be manufactured as cutomer require  Wall 3mm-20mm (0.11"-0.78")  thickness wall thickness can be manufactured as cutomer require  Length 500mm-13000mm (19.6"-511.8" or random length)  Shape round, square, rectangular  Pipe ends plain ends, beveled ends etc  Surface treatment  Certificate CE, ISO, API  Supply ability 5000 ton/month  Delivery time stock size 10 days, customize size 15-25 days, large quantity please contact with our sales perso option one: plastic caps covered on both ends of pipes; option three: tied in bundle  Application plass / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection diameter can be manufactured as cutomer require  accept the third party to check the goods quantity and quality  Moq please that with us about your order	Technique	
Wall thickness wall thickness can be manufactured as cutomer require  Length 500mm-13000mm (19.6"-511.8" or random length)  Shape round, square, rectangular  Pipe ends plain ends, beveled ends etc  Surface treatment CE, ISO, API  Supply ability 5000 ton/month  Delivery time stock size 10 days, customize size 15-25 days, large quantity please contact with our sales person option one: plastic caps covered on both ends of pipes; option three: tied in bundle  Application place of the third party to check the goods quantity and quality  Moq please chat with us about your order	Outer	
thickness wall thickness can be manufactured as cutomer require  Length 500mm-13000mm (19.6"-511.8" or random length)  Shape round, square, rectangular  Pipe ends plain ends, beveled ends etc  Surface treatment  Certificate CE, ISO, API  Supply ability 5000 ton/month  Delivery time stock size 10 days, customize size 15-25 days, large quantity please contact with our sales person option one: plastic caps covered on both ends of pipes; option two: woven bag wrapped outside the pipes; option three: tied in bundle  Application oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection accept the third party to check the goods quantity and quality  Moq please chat with us about your order	diameter	
Length 500mm-13000mm (19.6"-511.8" or random length)  Shape round, square, rectangular  Pipe ends plain ends, beveled ends etc  Surface treatment Certificate CE, ISO, API  Supply 5000 ton/month  Delivery time stock size 10 days, customize size 15-25 days, large quantity please contact with our sales person option one: plastic caps covered on both ends of pipes; option two: woven bag wrapped outside the pipes; option three: tied in bundle  Application oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection accept the third party to check the goods quantity and quality  Mod please chat with us about your order	Wall	3mm-20mm (0.11"-0.78")
Shape round, square, rectangular Pipe ends plain ends, beveled ends etc Surface treatment Certificate CE, ISO, API Supply ability Delivery time stock size 10 days, customize size 15-25 days, large quantity please contact with our sales person option one: plastic caps covered on both ends of pipes; option two: woven bag wrapped outside the pipes; option three: tied in bundle Application one: plastic caps covered on both ends of pipes; option three: tied in bundle accept the third party to check the goods quantity and quality Moq please chat with us about your order	thickness	
Pipe ends plain ends, beveled ends etc  Surface treatment		500mm-13000mm (19.6"-511.8" or random length)
Surface treatment  Certificate CE, ISO, API  Supply ability  Delivery time option one: plastic caps covered on both ends of pipes; option two: woven bag wrapped outside the pipes; option three: tied in bundle  Application old / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection accept the third party to check the goods quantity and quality  Moq please chat with us about your order		
treatment Certificate CE, ISO, API Supply ability Delivery time option one: plastic caps covered on both ends of pipes; option two: woven bag wrapped outside the pipes; option three: tied in bundle Application loil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc Inspection Moq please chat with us about your order		plain ends, beveled ends etc
Supply ability  Delivery time  stock size 10 days, customize size 15-25 days, large quantity please contact with our sales perso option one: plastic caps covered on both ends of pipes; option two: woven bag wrapped outside the pipes; option three: tied in bundle  Application  Oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection  Accept the third party to check the goods quantity and quality  Moq  please chat with us about your order		shot blasting/galvanized/painted as customer needs
ability  Delivery time  stock size 10 days, customize size 15-25 days, large quantity please contact with our sales person option one: plastic caps covered on both ends of pipes; option two: woven bag wrapped outside the pipes; option three: tied in bundle  Application  Application  Oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection  Accept the third party to check the goods quantity and quality  Mod  Delase chat with us about your order		CE, ISO, API
option one: plastic caps covered on both ends of pipes; option two: woven bag wrapped outside the pipes; option three: tied in bundle  Application  Application  Inspection  Accept the third party to check the goods quantity and quality  Mod  please chat with us about your order  Application  Oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection  Dease chat with us about your order  Application  Oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection  Accept the third party to check the goods quantity and quality		5000 ton/month
Packing option two: woven bag wrapped outside the pipes; option three: tied in bundle  Application oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection accept the third party to check the goods quantity and quality  Moq please chat with us about your order		stock size 10 days, customize size 15-25 days, large quantity please contact with our sales person.
option three: tied in bundle  Application   oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection   accept the third party to check the goods quantity and quality  Moq   please chat with us about your order	Packing	
Application oil / gas / water fluid transportation or construction, hydraulic precision machinery parts / power / boiler / petrochemical / building industry etc  Inspection accept the third party to check the goods quantity and quality  Moq please chat with us about your order		option two: woven bag wrapped outside the pipes;
boiler / petrochemical / building industry etc Inspection accept the third party to check the goods quantity and quality Moq please chat with us about your order		
Moq please chat with us about your order	Application	
upleame to talk with our soles person for current price at any time which helps to save your	Inspection	accept the third party to check the goods quantity and quality
welcome to talk with our sales person for current price at any time which helps to save your	Moq	
Price purchase cost	Price	welcome to talk with our sales person for current price at any time which helps to save your purchase cost





#### Why Choose us?

- (1) High quality steel tube with reasonable price.
- (2) Wide excellent experiences with after-sale service.
- (3) Every process will be checked by responsible QC which insures every product's quality.
- (4) Professional packing teams which keep every packing safely.
- (5) Trial order can be done in one week.
- (6) Samples can be provided as your requirements.

#### **FAQ**

Q1. Are you a manufacturer or trader?

We are a manufacturer, and we can have our own factory produced many steel products.

Q2. Whether your company supports Trade Assurance order?

Yes, we can (100% product quality protection; 100% on-time shipment protection; 100% payment protection)

Q3. Can we get the some samples? Any charges?

Yes, you can get available samples in our stock. If the samples from new production, we will charge some reasonable cost, but this amount will be deducted from your first order.

Q4. How do we build up business relations with your company?

Send us your requirement which includes size, coating info, parameters, quantity, destination .

Q5. What is the MOQ?

We can accept small orders. Please feel free to contact us, we can meet your requirements.

Q6. What's your advantage?

With high-quality products and efficient customer service, we adhere to the principle of customer first.

Q7. How long is your delivery time?

Delivered within 15 days after receipt of deposit



**Shandong Fengbao Metal Products Co., Ltd** 



13003369243



Lydia@fengbaosteels.com



seamless-steeltube.com