



# Carbon Steel Pre Honed Astm A179 Tube For Hydraulic Cylinder

### **Basic Information**

- Place of Origin:
- Certification:
- Model Number: Seamless Pipe
- Minimum Order Quantity:
- Price: Nego
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- Negotiable Negotiable Standard Sea-worthy Packing 7-15 work days T/T, L/C
- 5000 Ton/Tons per Month

China

CE ISO



## **Product Specification**

• Name:

• OD: • WT:

Material:

• Marking:

• Highlight:

- Standard:Length:
- ASTM / ASME, GB, DIN, JIS
- 1-12 Meters 1-600mm
- - 0.3-150mm
  - Stainless Steel, Carbon Steel, Alloy Steel, Etc

Cold Rolled Seamless Pipe

- As Per Customer's Requirement
- Surface Treatment: Black Painted, PE Coated, Galvanized, Etc
  - Carbon Steel Astm A179 Tube, Hydraulic Cylinder Astm A179 Tube,
    - Hydraulic Cylinder Astm A179 Tube, Astm A179 Cold Drawn Steel Tube




### **Product Description**

#### Cold Drawn Seamless Carbon Steel Pre Honed Tube For Hydraulic Cylinder

Specific applications include bushings, spacers, bearings and other mechanical parts in automobiles, trucks, aircraft and construction, agricultural and drilling equipment, as well as hydraulic cylinders. Our products offer good dimensional accuracy; good surface quality; excellent micro-structure uniformity; good machinability; and high tensile properties. Cold drawn seamless tubing is also suited for such post-treatments as carburizing and heat treating.

#### Specifications

Product ( Name	Cold drawn seamless steel tube
	ASTM A106 ,ASTM A53 ,API5L B ,ASTM A179, ASTM A210 ,ANSI B36.10, GB 5310,GB6479,GB9948,GB/T17396GB 3087, GB/T 8162 ,GB/T8163
Outer Diamete r	4-914mm ( Or customized according to customer requirements )
Wall Thickne ss	1-150mm ( Or customized according to customer requirements )
Length 6	6m,12m or as per customer's requirements
Packing I	In bundles tied with steel stripes
Paymen - t Term	T/T, L/C at sight
Delivery Time	Within 7-60 days after signing the contract or as your requirement
conditio d	Beveled or Plain end with varnish/2PP/2PE/3PE/3PP anticorrosive coatingas per clients confirmation ; With or without protecting caps as percustomer's requirements;with FBE internal coating for water steel pipes.
Material	A53(A,B),A106(A,B),Q345,16Mn, 10# 20#,45# S235JR, 1010,1020,1030,1040,1050,ASTMA252 Gr.2,Gr.3; ST37,ST42,ST52;Gr.B,X42,X46,X52,X56,X60,X65,X70, 4140 4120 4130 4142 35CrMo 42CrMo 1033 1320 1330 1527 1340 1345 20Mn 35Mn 40Mn 20Mn2 35Mn2 5115 5120 5135 5140 5145 5150 20Cr 30Cr 35Cr 40Cr 45Cr 5120 20CrMnTi 8620 20CrNiMo 4340 40CrNiMoA 52100 GCr15 27SiMn 9260 60Si2Mn 9255 55Si2Mn 6150 50CrVA 440C 9Cr18Mo 3140 3135 40CrNi, etc
Usage d	for petroleum/ natural gas pipeline , for conveying water,drainage,coal gas, mineral slurry and other low-middle pressure liquids. Also for chemical industry, building structure,heat-supply and pile driving projects.
to (	Canada, USA, Argentina,Peru, Chile, Colombia, Brazil, Venezuela,Malaysia, Singapore, the Czech Republic, Australia, Myanmar, Kenya, South Africa, Spain, Italy, France, England, the Netherlands,Belgium, etc
Certifica /	API 5L; ISO9001:2000
Wall Thickne ss 1   Length 6   Packing 1   Packing 1   Paymen t Term 1   Delivery Time 1   Delivery conditio n 1   Delivery Conditio n 1   Material 2   Usage 6   Export to 6   Certifica 7	6m,12m or as per customer's requirements In bundles tied with steel stripes T/T, L/C at sight Within 7-60 days after signing the contract or as your requirement Beveled or Plain end with varnish/2PP/2PE/3PE/3PP anticorrosive coatingas per clients confirmation ; With or without protecting caps as percustomer's requirements; with FBE internal coating for water steel pipes. A53(A,B),A106(A,B),Q345,16Mn, 10# 20#,45# S235JR, 1010,1020,1030,1040,1050,ASTMA252 Gr.2,Gr.3; ST37,ST42,ST52;Gr.B,X42,X46,X52,X56,X60,X65,X70, 4140 4120 4130 4142 35CrMo 42CrMo 1033 1320 1330 1527 1340 1345 20Mn 35Mn 40Mn 20Mn2 35Mn2 5115 5120 5135 5140 5145 5150 20Cr 30Cr 35Cr 40Cr 45Cr 5120 20CrMnTi 8620 20CrNiMo 4340 40CrNiMoA 52100 GCr15 27SiMn 9260 60Si2Mn 9255 5SSi2Mn 6150 50CrVA 440C 9Cr18Mo 3140 3135 40CrNi, etc for petroleum/ natural gas pipeline , for conveying water,drainage,coal gas, mineral slurry ar other low-middle pressure liquids. Also for chemical industry, building structure,heat-supply and pile driving projects. Canada, USA, Argentina,Peru, Chile, Colombia, Brazil, Venezuela,Malaysia, Singapore, the Czech Republic, Australia, Myanmar, Kenya, South Africa, Spain, Italy, France, England, the Netherlands,Belgium, etc



### FAQ

Q1. Are you a manufacturer or trader? We are a manufacturer, and we can have our own factory produced many steel products.

Q2. Whether your company supports Trade Assurance order? Yes, we can (100% product quality protection; 100% on-time shipment protection; 100% payment protection)

Q3. Can we get the some samples? Any charges? Yes, you can get available samples in our stock. If the samples from new production, we will charge some reasonable cost, but this amount will be deducted from your first order.

Q4. How do we build up business relations with your company? Send us your requirement which includes size, coating info, parameters, quantity, destination .

Q5. What is the MOQ?

We can accept small orders. Please feel free to contact us, we can meet your requirements.

Q6. What's your advantage? With high-quality products and efficient customer service, we adhere to the principle of customer first.

Q7. How long is your delivery time? Delivered within 15 days after receipt of deposit.

