



20mm OD Cold Drawn Seamless Tube ASTM A35 A36 SA106 API 5L A53 Sch 40

Basic Information

- Place of Origin:
- Model Number:

China

Cold Drawn Steel Pipe



Product Specification

- Name:
- Standard:
- OD:
- WT:
- Length:
- Material:
- Marking:
- Surface Treatment:
- Highlight:
- Cold Drawn Seamless Tube AISI,ASTM,DIN,JIS,GB ,JIS,SUS,EN,etc 20mm-500mm/as Your Required 0.3-100mm/as Your Required 5800mm-12000mm/as You Required Stainless Steel, Carbon Steel, Alloy Steel As Per Customer's Requirement Galvanized, PVC, Black And Color Painting, Anti-rust Oil
 - ASTM A35 Cold Drawn Seamless Tube, Sch 40 Cold Drawn Seamless Tube, ASTM A36 Cold Drawn Steel Tube




ASTM A35 A36 SA106 API 5L A53 Sch 40 Carbon Steel Seamless Pipe Cold Drawn Hollow Tube

Tubular Products' seamless mechanical tubing is produced from solid round billets by rotary piercing and then rolled in an Assel mill that permits an extremely broad range of diameter/wall thickness ratios. Tubes are then processed through a multiple-pass size reducing mill and a rotary sizer.

Specifications

Thickness 0.3-100mm/as your required Length 5800mm-12000mm/as your required Standard AISI,ASTM,DIN,JIS,GB,JIS,SUS,EN,etc MOQ 1 Ton Technique Cold Drawn 1. Galvanized 2. PVC,Black and color painting 3. Transparent oil,anti-rust oil 4. According to clients requirement Thickness ±0.05mm Tolerance GB: 0195, 0215, 0235A, 0235B, 0235C, 0235D, 0255A, 255B, 0275, 0295A, 0295B, 0235B, 0345C, 0345D, 0345E, 0390A, 0390B, 0390C, 0460D, 0460E, 0500D, 0500E, 0390B, 0390C, 0420B, 0420C, 0420D, 0420E, 0460D, 0460D, 0460E, 0500D, 0500E, 0550D, 0550E, 0620D, 0620E, 0690D, 0690E EN:S185,S235JR, S275JR, S355JR, S420NL, S460NL S500Q, S550Q, S690Q ASTM: Grade B, Grade C, Grade D, A36, Grade 36, Grade 40, Grade42, Grade 50, Grade 55, Grade 60, Grade 65, Grade 80 JIS: SS330, SPHC, SS400, SPFC, SPHD, SPHE Application 1. Fence, greenhouse, door pipe, greenhouse 2. Low pressure liquid, water, gas, oil, line pipe 3. For both indoor and outdoor the building construction 4. Widely used in scaffolding construction which is much cheaper and convenient 200ton:Within 5days after deposit Shipment Time Customize Size:Within 10 days after deposit	Diameter	20mm-500mm/as your required
Length 5800mm-12000mm/as you required Standard AISI,ASTM,DIN,JIS,GB,JIS,SUS,EN,etc MOQ 1 Ton Technique Cold Drawn Surface Treatment 1. Galvanized 2. PVC,Black and color painting 3. Transparent oil,anti-rust oil 4. According to clients requirement 4. According to clients requirement Thickness ±0.05mm GB: Q195, Q215, Q235A, Q235B, Q235C, Q235D, Q255A, 255B, Q275, Q295A, Q295B, Q345B, Q345C, Q345D, Q345E, Q390A, Q390B, Q390C, Q390D, Q390D, Q390E, Q420, Q420B, Q420C, Q420D, Q420E, Q460D, Q460E, Q500D, Q500E, Q550D, Q550E, Q620D, Q620E, Q690D, Q690E Material GB: Gade B, Grade C, Grade D, A36, Grade 36, Grade 40, Grade42, Grade 50, Grade 55, Grade 60, Grade 65, Grade 80 JIS: SS330, SPHC, SS400, SPFC, SPHD, SPHE 1. Fence, greenhouse, door pipe, greenhouse Application 1. Fence, greenhouse, door pipe, greenhouse 2. Low pressure liquid, water, gas, oil, line pipe 3. For both indoor and outdoor the building construction 4. Widely used in scaffolding construction which is much cheaper and convenient 200ton:Within 5days after deposit Shipment Time Customize Size:Within 10 days after deposit 0EM Product: Within 15 days after deposit		
Standard AISI,ASTM,DIN,JIS,GB,JIS,SUS,EN,etc MOQ 1 Ton Technique Cold Drawn 1. Galvanized 2. PVC,Black and color painting 3. Transparent oil,anti-rust oil 4. According to clients requirement Thickness ±0.05mm Tolerance GB: Q195, Q215, Q235A, Q235B, Q235C, Q235D, Q255A, 255B, Q275, Q295A, Q295B, Q345B, Q345C, Q345D, Q345E, Q390A, Q390B, Q390C, Q390D, Q390D, Q390E, Q420Q, Q420D, Q420D, Q420E, Q460D, Q460E, Q500D, Q500E, Q550D, Q550E, Q620D, Q620D, Q620D, Q690D Material GB: Q195, Q215, Q235A, Q235B, S355JR, S420NL, S460NL S500Q, S550Q, S620Q, S690Q ASTM: Grade B, Grade C, Grade D, A36, Grade 36, Grade 40, Grade42, Grade 50, Grade 55, Grade 60, Grade 65, Grade 80 JIS: SS330, SPHC, SS400, SPFC, SPHD, SPHE 1. Fence, greenhouse, door pipe, greenhouse 2. Low pressure liquid, water, gas, oil, line pipe 3. For both indoor and outdoor the building construction 4. Widely used in scaffolding construction which is much cheaper and convenient 200ton: Within 5days after deposit Customize Size:Within 10 days after deposit OEM Product: Within 15 days after deposit		
MOQ 1 Ton Technique Cold Drawn 1. Galvanized 2. PVC,Black and color painting 3. Transparent oil,anti-rust oil 4. According to clients requirement Thickness ±0.05mm GB: Q195, Q215, Q235A, Q235B, Q235C, Q235D, Q255A, 255B, Q275, Q295A, Q295B, Q345B, Q345C, Q345D, Q345E, Q390A, Q390B, Q390C, Q390D, Q390D, Q390E, Q420, Q420B, Q420C, Q420D, Q420E, Q460D, Q460E, Q500D, Q500E, Q550D, Q550E, Q620D, Q620E, Q690D, Q690E Material GS: S235JR, S275JR, S355JR, S420NL, S460NL S500Q, S550Q, S620Q, S690Q ASTM: Grade B, Grade C, Grade D, A36, Grade 36, Grade 40, Grade42, Grade 50, Grade 55, Grade 60, Grade 65, Grade 80 JIS: SS330, SPHC, SS400, SPFC, SPHD, SPHE 1. Fence, greenhouse, door pipe, greenhouse 2. Low pressure liquid, water, gas, oil, line pipe 3. For both indoor and outdoor the building construction 4. Widely used in scaffolding construction which is much cheaper and convenient 200ton: Within 5days after deposit Customize Size:Within 10 days after deposit OEM Product: Within 15 days after deposit		
Technique Cold Drawn 1. Galvanized 2. PVC,Black and color painting 3. Transparent oil,anti-rust oil 4. According to clients requirement Thickness ±0.05mm GB: Q195, Q215, Q235A, Q235B, Q235C, Q235D, Q255A, 255B, Q275, Q295A, Q295B, Q345B, Q345C, Q345D, Q345E, Q390A, Q390B, Q390C, Q390D, Q390E, Q420, Q420B, Q420C, Q420D, Q420E, Q460D, Q460E, Q500D, Q500E, Q550D, Q550E, Q620D, Q620E, Q690D, Q690E Material G50D, Q550E, Q620D, Q620E, Q690D, Q690E EN:S185,S235JR, S275JR, S355JR, S420NL, S460NL S500Q, S550Q, S620Q, S690Q ASTM: Grade B, Grade C, Grade D, A36, Grade 36, Grade 40, Grade42, Grade 50, Grade 55, Grade 60, Grade 65, Grade 80 JIS: SS330, SPHC, SS400, SPFC, SPHD, SPHE Application 1. Fence, greenhouse, door pipe, greenhouse 2. Low pressure liquid, water, gas, oil, line pipe 3. For both indoor and outdoor the building construction 4. Widely used in scaffolding construction which is much cheaper and convenient 200ton:Within 5days after deposit Shipment Time Customize Size:Within 10days after deposit		
1. Galvanized Surface Treatment 1. Galvanized 2. PVC,Black and color painting 3. Transparent oil,anti-rust oil 4. According to clients requirement Thickness Tolerance BB: Q195, Q215, Q235A, Q235B, Q235C, Q235D, Q255A, 255B, Q275, Q295A, Q295B, Q345B, Q345B, Q345C, Q345D, Q345E, Q390A, Q390B, Q390C, Q390D, Q390E, Q420, Q420B, Q420C, Q420D, Q420E, Q460D, Q460E, Q500D, Q500E, Q550D, Q550E, Q620D, Q620E, Q690D, Q690E Material 2550D, Q550E, Q620D, Q620E, Q690D, Q690E EN:S185,S235JR, S275JR, S355JR, S420NL, S460NL S500Q, S550Q, S620Q, S690Q ASTM: Grade B, Grade C, Grade D, A36, Grade 36, Grade 40, Grade42, Grade 50, Grade 55, Grade 60, Grade 65, Grade 80 JIS: SS330, SPHC, SS400, SPFC, SPHD, SPHE Application 1. Fence, greenhouse, door pipe, greenhouse 2. Low pressure liquid, water, gas, oil, line pipe 3. For both indoor and outdoor the building construction 4. Widely used in scaffolding construction which is much cheaper and convenient 200ton:Within 5days after deposit Customize Size:Within 10days after deposit OEM Product: Within 15 days after deposit		
Surface Treatment2. PVC, Black and color painting 3. Transparent oil, anti-rust oil 4. According to clients requirementThickness Tolerance±0.05mmMaterialGB: Q195, Q215, Q235A, Q235B, Q235C, Q235D, Q255A, 255B, Q275, Q295A, Q295B, Q345B, Q345C, Q345D, Q345E, Q390A, Q390B, Q390C, Q390D, Q390E, Q420, Q420B, Q420C, Q420D, Q420E, Q460D, Q460E, Q500D, Q500E, Q550D, Q550E, Q620D, Q620E, Q690D, Q690E EN:S185,S235JR, S275JR, S355JR, S420NL, S460NL S500Q, S550Q, S620Q, S690Q ASTM: Grade B, Grade C, Grade D, A36, Grade 36, Grade 40, Grade42, Grade 50, Grade 55, Grade 60, Grade 65, Grade 80 JIS: SS330, SPHC, SS400, SPFC, SPHD, SPHEApplication1. Fence, greenhouse, door pipe, greenhouse 2. Low pressure liquid, water, gas, oil, line pipe 3. For both indoor and outdoor the building construction 4. Widely used in scaffolding construction which is much cheaper and convenientShipment Time200ton:Within 5days after deposit Customize Size:Within 10 days after deposit OEM Product: Within 15 days after deposit	Technique	Cold Drawn
Tolerance±0.05mmToleranceGB: Q195, Q215, Q235A, Q235B, Q235C, Q235D, Q255A, 255B, Q275, Q295A, Q295B, Q345B, Q345C, Q345D, Q345E, Q390A, Q390B, Q390C, Q390D, Q390E, Q420, Q420B, Q420C, Q420D, Q420E, Q460D, Q460E, Q500D, Q500E, Q550D, Q550E, Q620D, Q620E, Q690D, Q690E EN:S185,S235JR, S275JR, S355JR, S420NL, S460NL S500Q, S550Q, S620Q, S690Q ASTM: Grade B, Grade C, Grade D, A36, Grade 36, Grade 40, Grade42, Grade 50, Grade 55, Grade 60, Grade 65, Grade 80 JIS: SS330, SPHC, SS400, SPFC, SPHD, SPHEApplication1. Fence, greenhouse, door pipe, greenhouse 2. Low pressure liquid, water, gas, oil, line pipe 3. For both indoor and outdoor the building construction 4. Widely used in scaffolding construction which is much cheaper and convenientShipment Time200ton:Within 5days after deposit Customize Size:Within 10days after deposit OEM Product: Within 15 days after deposit	Surface Treatment	 PVC,Black and color painting Transparent oil,anti-rust oil
MaterialQ345B, Q345C, Q345D, Q345E, Q390A, Q390B, Q390C, Q390D, Q390E, Q420, Q420B, Q420C, Q420D, Q420E, Q460D, Q460E, Q500D, Q500E, Q550D, Q550E, Q620D, Q620E, Q690D, Q690E EN:S185,S235JR, S275JR, S355JR, S420NL, S460NL S500Q, S550Q, S620Q, S690Q ASTM: Grade B, Grade C, Grade D, A36, Grade 36, Grade 40, Grade42, Grade 50, Grade 55, Grade 60, Grade 65, Grade 80 UIS: SS330, SPHC, SS400, SPFC, SPHD, SPHEApplication1. Fence, greenhouse, door pipe, greenhouse 2. Low pressure liquid, water, gas, oil, line pipe 3. For both indoor and outdoor the building construction 4. Widely used in scaffolding construction which is much cheaper and convenientShipment Time200ton:Within 5days after deposit Customize Size:Within 10days after deposit OEM Product: Within 15 days after deposit	Thickness Tolerance	±0.05mm
Application 2. Low pressure liquid, water, gas, oil, line pipe 3. For both indoor and outdoor the building construction 4. Widely used in scaffolding construction which is much cheaper and convenient 200ton:Within 5days after deposit Customize Size:Within 10days after deposit OEM Product: Within 15 days after deposit	Material	Q345B, Q345C, Q345D, Q345E, Q390A, Q390B, Q390C, Q390D, Q390E, Q420, Q420B, Q420C, Q420D, Q420E, Q460D, Q460E, Q500D, Q500E, Q550D, Q550E, Q620D, Q620E, Q690D, Q690E EN:S185,S235JR, S275JR, S355JR, S420NL, S460NL S500Q, S550Q, S620Q, S690Q ASTM: Grade B, Grade C, Grade D, A36, Grade 36, Grade 40, Grade42, Grade 50, Grade 55, Grade 60, Grade 65, Grade 80 JIS: SS330, SPHC, SS400, SPFC, SPHD, SPHE
Shipment Time Customize Size:Within 10days after deposit OEM Product: Within 15 days after deposit	Application	 Low pressure liquid, water, gas, oil, line pipe For both indoor and outdoor the building construction Widely used in scaffolding construction which is much cheaper and convenient
Capacity 20000Tons/Month	Shipment Time	Customize Size:Within 10days after deposit
	Capacity	20000Tons/Month





Applications of cold drawn seamless steel tubes:

Automotive Industry: Cold drawn seamless steel tubes are extensively used in the automotive sector for various applications. They are used in the manufacturing of fuel injection tubing, air conditioning systems, power steering systems, shock absorbers, drive shafts, and other critical components that require precise dimensions, strength, and durability. Hydraulic Systems: Cold drawn seamless steel tubes are widely utilized in hydraulic systems. They are employed in the production of hydraulic cylinders, hydraulic lines, and hydraulic fluid transmission components. The high strength and integrity of these tubes make them capable of withstanding high pressures and providing reliable fluid transmission.

Precision Engineering: Cold drawn seamless steel tubes find application in precision engineering industries where accuracy and dimensional precision are crucial. They are used for manufacturing precision tubes, bearing tubes, shafts, and other components that require tight tolerances and a smooth surface finish.

Oil and Gas Industry: Cold drawn seamless steel tubes play a vital role in the oil and gas industry. They are used in downhole applications, such as oil well drilling, completion, and production. These tubes are employed in the production of tubing, casing, and other components that are subjected to high-pressure and corrosive environments.

Mechanical and Structural Applications: Cold drawn seamless steel tubes are commonly used in mechanical and structural applications where strength and durability are essential. They are used in the construction of machinery, equipment, and structures such as cranes, scaffolding, bridges, and conveyor systems.

Boiler and Heat Exchanger Tubes: Cold drawn seamless steel tubes are employed in the manufacturing of boiler tubes and heat exchanger tubes. These tubes are designed to withstand high temperatures and pressures and are used in power plants, industrial heating systems, and other applications where efficient heat transfer is critical.

Aerospace Industry: Cold drawn seamless steel tubes find application in the aerospace industry for various purposes. They are used in the manufacturing of aircraft components, such as hydraulic lines, fuel lines, instrumentation tubing, and structural elements, where lightweight, high strength, and reliability are essential.

Instrumentation and Control Systems: Cold drawn seamless steel tubes are utilized in instrumentation and control systems where precise fluid or gas flow is required. They are used for manufacturing pressure gauges, flow meters, measuring devices, and analytical instruments.

FAQ

Q1. Are you a manufacturer or trader?

We are a manufacturer, and we can have our own factory produced many steel products.

Q2. Whether your company supports Trade Assurance order?

Yes, we can (100% product quality protection; 100% on-time shipment protection; 100% payment protection)

Q3. Can we get the some samples? Any charges?

Yes, you can get available samples in our stock. If the samples from new production, we will charge some reasonable cost, but this amount will be deducted from your first order.

Q4. How do we build up business relations with your company?

Send us your requirement which includes size, coating info, parameters, quantity, destination .

Q5. What is the MOQ?

We can accept small orders. Please feel free to contact us, we can meet your requirements.

Q6. What's your advantage? With high-quality products and efficient customer service, we adhere to the principle of customer first. Q7. How long is your delivery time? Delivered within 15 days after receipt of deposit.
 Shandong Fengbao Metal Products Co., Ltd 13003369243 Superior Lydia@fengbaosteels.com seamless-steeltube.com